



Form 39 - Cognitive Assessment

Data File: f39_ep_base_pub

File Date: 07/19/2005

Structure: One row per participant

Population: E+P participants

Participant ID

Variable # 1

Usage Notes: none

Sas Name: ID

Categories: Study: Administration

Sas Label: Participant ID

F39 Days since randomization/enrollment

Variable # 2

Usage Notes: none

Sas Name: F39DAYS

Categories: Study: Administration

Sas Label: F39 Days since randomization/enrollment

N	Min	Max	Mean	Std Dev
5402	-259	1113	-5.35246	35.50278

F39 Birth month answer code

Variable # 3

Usage Notes: none

Sas Name: BIRTHMC

Categories: Clinical Tests: Cognitive

Sas Label: F39 Birth month answer code

Values		N	%
0	Answer does not match birth month	41	0.8%
1	Answer matches birth month	5,356	99.1%
9	Not answered/missing	5	0.1%
		5,402	

F39 Birth day answer code

Variable # 4

Usage Notes: none

Sas Name: BIRTHDC

Categories: Clinical Tests: Cognitive

Sas Label: F39 Birth day answer code

Values		N	%
0	Answer does not match birth day	85	1.6%
1	Answer matches birth day	5,312	98.3%
9	Not answered/missing	5	0.1%
		5,402	

F39 Birth year answer code

Variable # 5

Usage Notes: none

Sas Name: BIRTHYC

Categories: Clinical Tests: Cognitive

Sas Label: F39 Birth year answer code

Values		N	%
0	Answer does not match birth year	108	2.0%
1	Answer matches birth year	5,289	97.9%
9	Not answered/missing	5	0.1%
		5,402	



Form 39 - Cognitive Assessment

Data File: f39_ep_base_pub

File Date: 07/19/2005

Structure: One row per participant

Population: E+P participants

F39 Birth city/town

Where were you born: city/town

Variable # 6

Sas Name: BRTHCITY

Sas Label: Birth city/town

Usage Notes: none

Categories: Clinical Tests: Cognitive

Values		N	%
0	Can't do/refused	3	0.1%
1	Answer given	5,343	98.9%
9	Not attempted/disabled	1	0.0%
.	Missing	55	1.0%
		5,402	

F39 Birth state/country

Where were you born: state/country

Variable # 7

Sas Name: BRTHST

Sas Label: Birth state/country

Usage Notes: none

Categories: Clinical Tests: Cognitive

Values		N	%
0	Can't do/refused	10	0.2%
1	Answer given	5,320	98.5%
9	Not attempted/disabled	1	0.0%
.	Missing	71	1.3%
		5,402	

F39 Socks/Shirt - first trial

Variable # 8

Sas Name: SOCKS1

Sas Label: Socks/Shirt - first trial

Usage Notes: none

Categories: Clinical Tests: Cognitive

Values		N	%
0	Error/refused	25	0.5%
1	Answer given	5,367	99.4%
9	Not attempted/disabled	1	0.0%
.	Missing	9	0.2%
		5,402	

F39 Blue/Brown - first trial

Variable # 9

Sas Name: BLUE1

Sas Label: Blue/Brown - first trial

Usage Notes: none

Categories: Clinical Tests: Cognitive

Values		N	%
0	Error/refused	11	0.2%
1	Answer given	5,381	99.6%
9	Not attempted/disabled	1	0.0%
.	Missing	9	0.2%
		5,402	

**Form 39 - Cognitive Assessment****Data File:** f39_ep_base_pub**File Date:** 07/19/2005**Structure:** One row per participant**Population:** E+P participants

F39 Charity/Honesty - first trial**Variable #** 10**Usage Notes:** none**Sas Name:** CHARITY1**Categories:** Clinical Tests: Cognitive**Sas Label:** Charity/Honesty - first trial

Values		N	%
0	Error/refused	26	0.5%
1	Answer given	5,362	99.3%
9	Not attempted/disabled	1	0.0%
.	Missing	13	0.2%
		5,402	

F39 Presentations for participant

Number of presentations (up to 7) necessary for the participant to repeat the sequence of words "socks, blue, charity" or "shirt, brown, honesty"

Variable # 11**Usage Notes:** none**Sas Name:** PRESNO**Categories:** Clinical Tests: Cognitive**Sas Label:** Presentations for participant

N	Min	Max	Mean	Std Dev
5033	1	5	1.04371	.25233

F39 Count from 1 to 5**Variable #** 12**Usage Notes:** none**Sas Name:** COUNT5**Categories:** Clinical Tests: Cognitive**Sas Label:** Count from 1 to 5

Values		N	%
0	Unable to count forward	3	0.1%
1	Able to count forward	5,369	99.4%
.	Missing	30	0.6%
		5,402	

F39 Count backwards from 5 to 1: 1st number**Variable #** 13**Usage Notes:** none**Sas Name:** NUMBER1**Categories:** Clinical Tests: Cognitive**Sas Label:** 1st number

Values		N	%
1		11	0.2%
2		1	0.0%
5		5,358	99.2%
.	Missing	32	0.6%
		5,402	



Form 39 - Cognitive Assessment

Data File: f39_ep_base_pub

File Date: 07/19/2005

Structure: One row per participant

Population: E+P participants

F39 Count backwards from 5 to 1: 2nd number

Variable # 14

Usage Notes: none

Sas Name: NUMBER2

Categories: Clinical Tests: Cognitive

Sas Label: 2nd number

Values	N	%
2	11	0.2%
3	1	0.0%
4	5,356	99.1%
5	2	0.0%
. Missing	32	0.6%
	5,402	

F39 Count backwards from 5 to 1: 3rd number

Variable # 15

Usage Notes: none

Sas Name: NUMBER3

Categories: Clinical Tests: Cognitive

Sas Label: 3rd number

Values	N	%
3	5,365	99.3%
4	1	0.0%
5	2	0.0%
. Missing	34	0.6%
	5,402	

F39 Count backwards from 5 to 1: 4th number

Variable # 16

Usage Notes: none

Sas Name: NUMBER4

Categories: Clinical Tests: Cognitive

Sas Label: 4th number

Values	N	%
2	5,354	99.1%
4	11	0.2%
5	4	0.1%
. Missing	33	0.6%
	5,402	

F39 Count backwards from 5 to 1: 5th number

Variable # 17

Usage Notes: none

Sas Name: NUMBER5

Categories: Clinical Tests: Cognitive

Sas Label: 5th number

Values	N	%
1	5,348	99.0%
2	1	0.0%
5	13	0.2%
. Missing	40	0.7%
	5,402	

**Form 39 - Cognitive Assessment****Data File:** f39_ep_base_pub**File Date:** 07/19/2005**Structure:** One row per participant**Population:** E+P participants

F39 Spell WORLD**Variable #** 18**Sas Name:** SPWORLD**Sas Label:** Spell world**Usage Notes:** none**Categories:** Clinical Tests: Cognitive

Values		N	%
0	Unable to spell	25	0.5%
1	Able to spell	5,327	98.6%
.	Missing	50	0.9%
		5,402	

F39 Spell WORLD backwards: 1st letter**Variable #** 19**Sas Name:** LETTER1**Sas Label:** 1st letter**Usage Notes:** World in Spanish is "MUNDO"**Categories:** Clinical Tests: Cognitive

Values		N	%
0		1	0.0%
1		1	0.0%
D		5,325	98.6%
L		12	0.2%
O		19	0.4%
W		14	0.3%
.	Missing	30	0.6%
		5,402	

F39 Spell WORLD backwards: 2nd letter**Variable #** 20**Sas Name:** LETTER2**Sas Label:** 2nd letter**Usage Notes:** World in Spanish is "MUNDO"**Categories:** Clinical Tests: Cognitive

Values		N	%
2		1	0.0%
D		25	0.5%
L		5,232	96.9%
N		1	0.0%
O		36	0.7%
R		67	1.2%
W		3	0.1%
.	Missing	37	0.7%
		5,402	

**Form 39 - Cognitive Assessment****Data File:** f39_ep_base_pub**File Date:** 07/19/2005**Structure:** One row per participant**Population:** E+P participants

F39 Spell WORLD backwards: 3rd letter**Variable #** 21**Sas Name:** LETTER3**Sas Label:** 3rd letter**Usage Notes:** World in Spanish is "MUNDO"**Categories:** Clinical Tests: Cognitive

Values	N	%
0	1	0.0%
3	1	0.0%
D	4	0.1%
E	1	0.0%
L	44	0.8%
N	18	0.3%
O	417	7.7%
R	4,846	89.7%
W	3	0.1%
. Missing	67	1.2%
	5,402	

F39 Spell WORLD backwards: 4th letter**Variable #** 22**Sas Name:** LETTER4**Sas Label:** 4th letter**Usage Notes:** World in Spanish is "MUNDO"**Categories:** Clinical Tests: Cognitive

Values	N	%
4	1	0.0%
D	2	0.0%
L	43	0.8%
M	1	0.0%
O	4,887	90.5%
R	349	6.5%
U	19	0.4%
W	57	1.1%
. Missing	43	0.8%
	5,402	

**Form 39 - Cognitive Assessment****Data File:** f39_ep_base_pub**File Date:** 07/19/2005**Structure:** One row per participant**Population:** E+P participants

F39 Spell WORLD backwards: 5th letter**Variable #** 23**Sas Name:** LETTER5**Sas Label:** 5th letter**Usage Notes:** World in Spanish is "MUNDO"**Categories:** Clinical Tests: Cognitive

Values	N	%
5	1	0.0%
D	24	0.4%
L	3	0.1%
M	18	0.3%
O	8	0.1%
R	3	0.1%
U	1	0.0%
W	5,242	97.0%
X	1	0.0%
. Missing	101	1.9%
	5,402	

F39 Socks/Shirt - remember earlier**Variable #** 24**Sas Name:** SOCKS2**Sas Label:** Socks/Shirt - remember earlier**Usage Notes:** none**Categories:** Clinical Tests: Cognitive

Values	N	%
0 Unable to recall/refused	64	1.2%
1 After Was it shirt, shoes, or socks	267	4.9%
2 Correct word/incorrect form; to wear	322	6.0%
3 Spontaneous recall	4,739	87.7%
9 Not attempted/disabled	0	0.0%
. Missing	10	0.2%
	5,402	

F39 Blue/Brown - remember earlier**Variable #** 25**Sas Name:** BLUE2**Sas Label:** Blue/Brown - remember earlier**Usage Notes:** none**Categories:** Clinical Tests: Cognitive

Values	N	%
0 Unable to recall/refused	53	1.0%
1 After Was it blue, black, brown	122	2.3%
2 Correct word/incorrect form; a color	299	5.5%
3 Spontaneous recall	4,917	91.0%
9 Not attempted/disabled	1	0.0%
. Missing	10	0.2%
	5,402	

**Form 39 - Cognitive Assessment****Data File:** f39_ep_base_pub**File Date:** 07/19/2005**Structure:** One row per participant**Population:** E+P participants

F39 Charity/Honesty - remember earlier**Variable #** 26**Usage Notes:** none**Sas Name:** CHARITY2**Categories:** Clinical Tests: Cognitive**Sas Label:** Charity/Honesty - remember earlier

Values		N	%
0	Unable to recall/refused	251	4.6%
1	After Was it honesty, charity, modesty	883	16.3%
2	Correct word/incorrect form; a quality	229	4.2%
3	Spontaneous recall	4,031	74.6%
9	Not attempted/disabled	0	0.0%
.	Missing	8	0.1%
		5,402	

F39 Today's month answer code**Variable #** 27**Usage Notes:** none**Sas Name:** TODAYMC**Categories:** Clinical Tests: Cognitive**Sas Label:** F39 Today's month answer code

Values		N	%
0	Answer is not within one month of today's month	23	0.4%
1	Answer matches today's month exactly	5,347	99.0%
2	Answer is one month either side of today's month	27	0.5%
9	Not answered/missing	5	0.1%
		5,402	

F39 Today's day answer code**Variable #** 28**Usage Notes:** none**Sas Name:** TODAYDC**Categories:** Clinical Tests: Cognitive**Sas Label:** F39 Today's day answer code

Values		N	%
0	Answer is not within 5 days of today's day	44	0.8%
1	Answer matches today's day exactly	5,081	94.1%
2	Answer is 1 to 2 days either side of today's day	249	4.6%
3	Answer is 3 to 5 days either side of today's day	23	0.4%
9	Not answered/missing	5	0.1%
		5,402	



Form 39 - Cognitive Assessment

Data File: f39_ep_base_pub

File Date: 07/19/2005

Structure: One row per participant

Population: E+P participants

F39 Today's year answer code

Variable # 29

Sas Name: TODAYYC

Sas Label: F39 Today's year answer code

Usage Notes: none

Categories: Clinical Tests: Cognitive

Values		N	%
0	Answer is not within 5 years of today's year	14	0.3%
1	Answer matches today's year exactly	5,350	99.0%
2	Answer is one year either side of today's year	14	0.3%
3	Answer is 2 to 5 years either side of today's year	18	0.3%
9	Not answered/missing	6	0.1%
		5,402	

F39 What is the day of the week

Variable # 30

Sas Name: DAYWEEK

Sas Label: What is the day of the week

Usage Notes: none

Categories: Clinical Tests: Cognitive

Values		N	%
0	Error/refused	42	0.8%
1	Correct	5,347	99.0%
9	Not attempted/disabled	0	0.0%
.	Missing	13	0.2%
		5,402	

F39 What season of the year is it

Variable # 31

Sas Name: SEASON

Sas Label: What season of the year is it

Usage Notes: none

Categories: Clinical Tests: Cognitive

Values		N	%
0	Error/refused	88	1.6%
1	Correct	5,295	98.0%
9	Not attempted/disabled	2	0.0%
.	Missing	17	0.3%
		5,402	

F39 What state are we in

Variable # 32

Sas Name: STATE

Sas Label: What state are we in

Usage Notes: none

Categories: Clinical Tests: Cognitive

Values		N	%
0	Error/refused	29	0.5%
1	Correct	5,349	99.0%
9	Not attempted/disabled	1	0.0%
.	Missing	23	0.4%
		5,402	

**Form 39 - Cognitive Assessment****Data File:** f39_ep_base_pub**File Date:** 07/19/2005**Structure:** One row per participant**Population:** E+P participants

F39 What country are we in**Variable #** 33**Usage Notes:** none**Sas Name:** COUNTRY**Sas Label:** What country are we in**Categories:** Clinical Tests: Cognitive

Values		N	%
0	Error/refused	28	0.5%
1	Correct	5,348	99.0%
9	Not attempted/disabled	0	0.0%
.	Missing	26	0.5%
		5,402	

F39 What city/town are we in**Variable #** 34**Usage Notes:** none**Sas Name:** CITY**Sas Label:** What city/town are we in**Categories:** Clinical Tests: Cognitive

Values		N	%
0	Error/refused	51	0.9%
1	Correct	5,323	98.5%
9	Not attempted/disabled	0	0.0%
.	Missing	28	0.5%
		5,402	

F39 Are we in a clinic, store, or home**Variable #** 35**Usage Notes:** none**Sas Name:** CLINIC**Sas Label:** In a clinic, store, or home**Categories:** Clinical Tests: Cognitive

Values		N	%
0	Error/refused	3	0.1%
1	Correct	5,387	99.7%
9	Not attempted/disabled	0	0.0%
.	Missing	12	0.2%
		5,402	

F39 Pencil: What is this**Variable #** 36**Usage Notes:** none**Sas Name:** PENCIL**Sas Label:** Pencil: What is this**Categories:** Clinical Tests: Cognitive

Values		N	%
0	Error/refused	5	0.1%
1	Correct	5,387	99.7%
9	Not attempted/disabled	1	0.0%
.	Missing	9	0.2%
		5,402	

**Form 39 - Cognitive Assessment****Data File:** f39_ep_base_pub**File Date:** 07/19/2005**Structure:** One row per participant**Population:** E+P participants

F39 Watch: What is this**Variable #** 37**Usage Notes:** none**Sas Name:** WATCH**Categories:** Clinical Tests: Cognitive**Sas Label:** Watch: What is this

Values		N	%
0	Error/refused	3	0.1%
1	Correct	5,389	99.8%
9	Not attempted/disabled	1	0.0%
.	Missing	9	0.2%
		5,402	

F39 Forehead: What do you call this part of face**Variable #** 38**Usage Notes:** none**Sas Name:** FOREHEAD**Categories:** Clinical Tests: Cognitive**Sas Label:** Forehead: What part of face

Values		N	%
0	Error/refused	44	0.8%
1	Correct	5,347	99.0%
9	Not attempted/disabled	3	0.1%
.	Missing	8	0.1%
		5,402	

F39 Chin: And this part**Variable #** 39**Usage Notes:** none**Sas Name:** CHIN**Categories:** Clinical Tests: Cognitive**Sas Label:** Chin: And this part

Values		N	%
0	Error/refused	9	0.2%
1	Correct	5,380	99.6%
9	Not attempted/disabled	1	0.0%
.	Missing	12	0.2%
		5,402	

F39 Shoulder: And this part of the body**Variable #** 40**Usage Notes:** none**Sas Name:** SHOULDER**Categories:** Clinical Tests: Cognitive**Sas Label:** Shoulder: And this body part

Values		N	%
0	Error/refused	29	0.5%
1	Correct	5,362	99.3%
9	Not attempted/disabled	2	0.0%
.	Missing	9	0.2%
		5,402	



Form 39 - Cognitive Assessment

Data File: f39_ep_base_pub

File Date: 07/19/2005

Structure: One row per participant

Population: E+P participants

F39 Elbow: And this part

Variable # 41

Usage Notes: none

Sas Name: ELBOW

Categories: Clinical Tests: Cognitive

Sas Label: Elbow: And this part

Values		N	%
0	Error/refused	13	0.2%
1	Correct	5,379	99.6%
9	Not attempted/disabled	1	0.0%
.	Missing	9	0.2%
		5,402	

F39 Knuckle: And this part of the hand

Variable # 42

Usage Notes: none

Sas Name: KNUCKLE

Categories: Clinical Tests: Cognitive

Sas Label: Knuckle: And this part of hand

Values		N	%
0	Error/refused	179	3.3%
1	Correct	5,206	96.4%
9	Not attempted/disabled	6	0.1%
.	Missing	11	0.2%
		5,402	

F39 What animals have four legs

What animals have four legs? Tell me as many as you can (in 30 seconds).

Variable # 43

Usage Notes: none

Sas Name: ANIMALS

Categories: Clinical Tests: Cognitive

Sas Label: What animals have four legs

N	Min	Max	Mean	Std Dev
5363	2	94	10.72198	3.16547

F39 In what way are an arm and a leg alike

Variable # 44

Usage Notes: none

Sas Name: ARMLEG

Categories: Clinical Tests: Cognitive

Sas Label: Arm and leg alike

Values		N	%
0	Error/refused	213	3.9%
1	Lesser correct answer	3,050	56.5%
2	Limbs, extremities	2,127	39.4%
9	Not attempted/disabled	4	0.1%
.	Missing	8	0.1%
		5,402	

**Form 39 - Cognitive Assessment**

Data File: f39_ep_base_pub

File Date: 07/19/2005

Structure: One row per participant

Population: E+P participants

F39 In what way are laughing and crying alike

Variable # 45

Usage Notes: none

Sas Name: EMOTIONS

Categories: Clinical Tests: Cognitive

Sas Label: Laughing and crying alike

Values		N	%
0	Error/refused	392	7.3%
1	Lesser correct answer	640	11.8%
2	Expressions of feelings, emotions	4,356	80.6%
9	Not attempted/disabled	8	0.1%
.	Missing	6	0.1%
		5,402	

F39 In what way are eating and sleeping alike

Variable # 46

Usage Notes: none

Sas Name: EATSLEEP

Categories: Clinical Tests: Cognitive

Sas Label: Eating and sleeping alike

Values		N	%
0	Error/refused	477	8.8%
1	Lesser correct answer	1,710	31.7%
2	Necessary bodily functions, essential for life	3,181	58.9%
9	Not attempted/disabled	26	0.5%
.	Missing	8	0.1%
		5,402	

F39 Repeat what I say: I would like to go out

Variable # 47

Usage Notes: none

Sas Name: SENTENCE

Categories: Clinical Tests: Cognitive

Sas Label: Repeat: I would like to go out

Values		N	%
0	3 or more words missed/refused	0	0.0%
1	1 or 2 words missed	17	0.3%
2	Correct	5,371	99.4%
9	Not attempted/disabled	1	0.0%
.	Missing	13	0.2%
		5,402	

F39 Now repeat: No ifs

Variable # 48

Usage Notes: none

Sas Name: NOIFS

Categories: Clinical Tests: Cognitive

Sas Label: No ifs

Values		N	%
0	Error/refused	374	6.9%
1	Correct	5,018	92.9%
9	Not attempted/disabled	1	0.0%
.	Missing	9	0.2%
		5,402	

**Form 39 - Cognitive Assessment**

Data File: f39_ep_base_pub

File Date: 07/19/2005

Structure: One row per participant

Population: E+P participants

F39 AndS

Variable # 49

Usage Notes: none

Sas Name: ANDS

Categories: Clinical Tests: Cognitive

Sas Label: AndS

Values		N	%
0	Error/refused	149	2.8%
1	Correct	5,229	96.8%
9	Not attempted/disabled	1	0.0%
.	Missing	23	0.4%
		5,402	

F39 Or buts

Variable # 50

Usage Notes: none

Sas Name: ORBUTS

Categories: Clinical Tests: Cognitive

Sas Label: Or buts

Values		N	%
0	Error/refused	161	3.0%
1	Correct	5,202	96.3%
9	Not attempted/disabled	3	0.1%
.	Missing	36	0.7%
		5,402	

F39 Please do this

Variable # 51

Usage Notes: none

Sas Name: DOTHIS

Categories: Clinical Tests: Cognitive

Sas Label: Please do this

Values		N	%
0	Does not read aloud or close eyes/refuse	0	0.0%
1	Reads aloud, but does not close eyes	27	0.5%
2	Closes eyes after prompting	58	1.1%
3	Closes eyes without prompting	5,296	98.0%
9	Not attempted/disabled	1	0.0%
.	Missing	20	0.4%
		5,402	

F39 Write "would"

Variable # 52

Usage Notes: none

Sas Name: WRWOULD

Categories: Clinical Tests: Cognitive

Sas Label: Write Would

Values		N	%
0	Error/refused	50	0.9%
1	Correct	5,328	98.6%
9	Not attempted/disabled	4	0.1%
.	Missing	20	0.4%
		5,402	

**Form 39 - Cognitive Assessment**

Data File: f39_ep_base_pub

File Date: 07/19/2005

Structure: One row per participant

Population: E+P participants

F39 Write "like"

Variable # 53

Usage Notes: none

Sas Name: WRLIKE

Categories: Clinical Tests: Cognitive

Sas Label: Write Like

Values		N	%
0	Error/refused	51	0.9%
1	Correct	5,326	98.6%
9	Not attempted/disabled	5	0.1%
.	Missing	20	0.4%
		5,402	

F39 Write "to"

Variable # 54

Usage Notes: none

Sas Name: WRTO

Categories: Clinical Tests: Cognitive

Sas Label: Write To

Values		N	%
0	Error/refused	24	0.4%
1	Correct	5,355	99.1%
9	Not attempted/disabled	4	0.1%
.	Missing	19	0.4%
		5,402	

F39 Write "go"

Variable # 55

Usage Notes: none

Sas Name: WRGO

Categories: Clinical Tests: Cognitive

Sas Label: Write Go

Values		N	%
0	Error/refused	14	0.3%
1	Correct	5,364	99.3%
9	Not attempted/disabled	4	0.1%
.	Missing	20	0.4%
		5,402	

F39 Write "out"

Variable # 56

Usage Notes: none

Sas Name: WROUT

Categories: Clinical Tests: Cognitive

Sas Label: Write Out

Values		N	%
0	Error/refused	30	0.6%
1	Correct	5,330	98.7%
9	Not attempted/disabled	4	0.1%
.	Missing	38	0.7%
		5,402	



Form 39 - Cognitive Assessment

Data File: f39_ep_base_pub

File Date: 07/19/2005

Structure: One row per participant

Population: E+P participants

F39 Hand participant uses to write

Variable # 57

Usage Notes: none

Sas Name: WRHAND

Categories: Clinical Tests: Cognitive

Sas Label: Hand participant uses to write

Values		N	%
1	Right	5,096	94.3%
2	Left	279	5.2%
9	Unknown	1	0.0%
.	Missing	26	0.5%
		5,402	

F39 Pentagon 1

Variable # 58

Usage Notes: none

Sas Name: PENTAGN1

Categories: Clinical Tests: Cognitive

Sas Label: Pentagon 1

Values		N	%
0	Less than 2 lines/refused	0	0.0%
1	2 or more lines, not an enclosure	10	0.2%
2	Nonpentagon enclosed figure	121	2.2%
3	5 sides, but longest:shortest side > 2:1	419	7.8%
4	5 approximately equal sides	4,792	88.7%
9	Not attempted/disabled	3	0.1%
.	Missing	57	1.1%
		5,402	

F39 Pentagon 2

Variable # 59

Usage Notes: none

Sas Name: PENTAGN2

Categories: Clinical Tests: Cognitive

Sas Label: Pentagon 2

Values		N	%
0	Less than 2 lines/refused	1	0.0%
1	2 or more lines, not an enclosure	9	0.2%
2	Nonpentagon enclosed figure	160	3.0%
3	5 sides, but longest:shortest side > 2:1	480	8.9%
4	5 approximately equal sides	4,684	86.7%
9	Not attempted/disabled	3	0.1%
.	Missing	65	1.2%
		5,402	



Form 39 - Cognitive Assessment

Data File: f39_ep_base_pub

File Date: 07/19/2005

Structure: One row per participant

Population: E+P participants

F39 Intersection

Variable # 60

Usage Notes: none

Sas Name: INTERSEC

Categories: Clinical Tests: Cognitive

Sas Label: Intersection

Values		N	%
0	No enclosure/refused	26	0.5%
1	Other than 4-cornered enclosure	217	4.0%
2	4-cornered enclosure	5,091	94.2%
9	Not attempted/disabled	3	0.1%
.	Missing	65	1.2%
		5,402	

F39 Takes paper in correct hand

Variable # 61

Usage Notes: none

Sas Name: TAKEPAPR

Categories: Clinical Tests: Cognitive

Sas Label: Takes paper in correct hand

Values		N	%
0	Error/refused	204	3.8%
1	Correct	5,182	95.9%
9	Not attempted/disabled	3	0.1%
.	Missing	13	0.2%
		5,402	

F39 Folds paper in half

Variable # 62

Usage Notes: none

Sas Name: FOLDPAPR

Categories: Clinical Tests: Cognitive

Sas Label: Folds paper in half

Values		N	%
0	Error/refused	42	0.8%
1	Correct	5,334	98.7%
9	Not attempted/disabled	2	0.0%
.	Missing	24	0.4%
		5,402	

F39 Hands paper back

Variable # 63

Usage Notes: none

Sas Name: HANDBACK

Categories: Clinical Tests: Cognitive

Sas Label: Hands paper back

Values		N	%
0	Error/refused	180	3.3%
1	Correct	5,192	96.1%
9	Not attempted/disabled	3	0.1%
.	Missing	27	0.5%
		5,402	



Form 39 - Cognitive Assessment

Data File: f39_ep_base_pub

File Date: 07/19/2005

Structure: One row per participant

Population: E+P participants

F39 Socks/Shirt - remember earlier 2

Variable # 64

Usage Notes: none

Sas Name: SOCKS3

Categories: Clinical Tests: Cognitive

Sas Label: Socks/Shirt - remember earlier 2

Values		N	%
0	Unable to recall/refused	106	2.0%
1	After Was it shirt, shoes, or socks	365	6.8%
2	Correct word/incorrect form; to wear	338	6.3%
3	Spontaneous recall	4,587	84.9%
9	Not attempted/disabled	0	0.0%
.	Missing	6	0.1%
		5,402	

F39 Blue/Brown - remember earlier 2

Variable # 65

Usage Notes: none

Sas Name: BLUE3

Categories: Clinical Tests: Cognitive

Sas Label: Blue/Brown - remember earlier 2

Values		N	%
0	Unable to recall/refused	40	0.7%
1	After Was it blue, black, brown	73	1.4%
2	Correct word/incorrect form; a color	173	3.2%
3	Spontaneous recall	5,110	94.6%
9	Not attempted/disabled	0	0.0%
.	Missing	6	0.1%
		5,402	

F39 Charity/Honesty - remember earlier 2

Variable # 66

Usage Notes: none

Sas Name: CHARITY3

Categories: Clinical Tests: Cognitive

Sas Label: Charity/Honesty - remember earlier 2

Values		N	%
0	Unable to recall/refused	163	3.0%
1	After Was it honesty, charity, modesty	364	6.7%
2	Correct word/incorrect form; a quality	152	2.8%
3	Spontaneous recall	4,715	87.3%
9	Not attempted/disabled	1	0.0%
.	Missing	7	0.1%
		5,402	

**Form 39 - Cognitive Assessment**

Data File: f39_ep_base_pub

File Date: 07/19/2005

Structure: One row per participant

Population: E+P participants

F39 Tell again where were you born: city/town

Variable # 67

Usage Notes: none

Sas Name: BRTHCTYR

Sas Label: Birth city/town - again

Categories: Clinical Tests: Cognitive

Values		N	%
0	Does not match/refused	3	0.1%
1	Matches	5,296	98.0%
9	Not attempted/disabled	1	0.0%
.	Missing	102	1.9%
		5,402	

F39 Tell again where were you born: state/country

Variable # 68

Usage Notes: none

Sas Name: BRTHSTR

Sas Label: Birth state/country - again

Categories: Clinical Tests: Cognitive

Values		N	%
0	Does not match/refused	7	0.1%
1	Matches	5,276	97.7%
9	Not attempted/disabled	1	0.0%
.	Missing	118	2.2%
		5,402	

F39 Special problems

Variable # 69

Usage Notes: none

Sas Name: SPECPROB

Sas Label: Special problems

Categories: Clinical Tests: Cognitive

Values		N	%
0	No	4,614	85.4%
1	Yes	452	8.4%
.	Missing	336	6.2%
		5,402	

F39 Primary problem

Variable # 70

Usage Notes: Sub-question of F39 V2 Q19 "Special problems".

Sas Name: PRIMPROB

Sas Label: Primary problem

Categories: Clinical Tests: Cognitive

Values		N	%
1	Vision	145	2.7%
2	Hearing	168	3.1%
3	Inability to write due to injury/illness	5	0.1%
4	Illiteracy/lack of education	5	0.1%
5	Language (difficulty speaking English)	44	0.8%
8	Other	36	0.7%
.	Missing	4,999	92.5%
		5,402	



Form 39 - Cognitive Assessment

Data File: f39_ep_base_pub

File Date: 07/19/2005

Structure: One row per participant

Population: E+P participants

F39 Hand used to throw a ball

Variable # 71

Sas Name: HANDTHRW

Sas Label: Hand used to throw a ball

Usage Notes: none

Categories: Clinical Tests: Cognitive

Values		N	%
1	Always left	271	5.0%
2	Usually left	70	1.3%
3	No preference	16	0.3%
4	Usually right	493	9.1%
5	Always right	4,425	81.9%
9	Unknown	0	0.0%
.	Missing	127	2.4%
		5,402	

F39 Hand used to hold a toothbrush

Variable # 72

Sas Name: HANDHOLD

Sas Label: Hand used to hold a toothbrush

Usage Notes: none

Categories: Clinical Tests: Cognitive

Values		N	%
1	Always left	309	5.7%
2	Usually left	46	0.9%
3	No preference	28	0.5%
4	Usually right	261	4.8%
5	Always right	4,627	85.7%
9	Unknown	0	0.0%
.	Missing	131	2.4%
		5,402	

F39 language

Variable # 73

Sas Name: F39LANG

Sas Label: F39 language

Usage Notes: none

Categories: Clinical Tests: Cognitive
Study: Administration

Values		N	%
1	English	5,383	99.6%
2	Spanish	19	0.4%
		5,402	

**Form 39 - Cognitive Assessment****Data File:** f39_ep_base_pub **File Date:** 07/19/2005 **Structure:** One row per participant **Population:** E+P participants**F39 3SME Score****Variable #** 74**Sas Name:** F393MSE**Sas Label:** F39 3MSE Score

N	Min	Max	Mean	Std Dev
5402	-9	100	95.08812	5.96745

Usage Notes: If a response is "unknown", "not attempted/disabled", or missing (and there is a "not attempted/disabled" option), the algorithm adjusts the scoring of the question to prevent the participant from being penalized as if she had given an incorrect response. The maximum points awarded for the question are subtracted from a counter set initially at 100. Once all questions have been tallied, this counter becomes the denominator in determining the score - the percentage of correct answers versus the number of total possible points for that participant. For example, if question 6.3 ("What season of the year is it?") is "not attempted/disabled" or missing, 1 point is subtracted from the total possible score. If this is the only such question on the Form 39, the score would be computed as a percentage of total points earned out of 99 possible points. If the total points discounted as missing, "unknown", or "not attempted/disabled" exceeds 20 (the denominator is less than 80), the test is not considered valid (indicated by a score of -9).

Categories: Clinical Tests: Cognitive
Computed Variables